

**RFP PMB-2019-06**  
**Competitive Sealed Proposals**  
**Offeror Identification Transmittal**

Hawaii Public Housing Authority  
Contract and Procurement Office  
1002 North School Street, Bldg. D  
Honolulu, HI 96817

RFP Coordinator:

The undersigned has carefully read and understands the terms and conditions specified in the Competitive Sealed Proposals and hereby submits the following proposal to furnish and deliver new vehicle(s) as specified.

That the undersigned further understands and agrees that by submitting this Competitive Sealed Proposals 1) it is declaring its Offer is not in violation of Chapter 84, Hawaii Revised Statutes, concerning prohibited State contracts, 2) it is certifying that the price(s) submitted was (were) independently arrived at without collusion, 3) is or will register to do business in Hawaii and is or will obtain a State General Excise Tax License before the start of the Contract.

Date: \_\_\_\_\_

Respectfully Submitted,

Telephone No.: \_\_\_\_\_

\_\_\_\_\_  
*Legal Name of Offeror*

Fax No.: \_\_\_\_\_

Payment address, if other than street  
address at right:

\_\_\_\_\_  
*Authorized Signature (Original)*

\_\_\_\_\_  
Hawaii General Excise Tax Lic. I.D. No.:

\_\_\_\_\_  
*Title*

\_\_\_\_\_  
Social Security or Federal I.D. No.:

\_\_\_\_\_  
*Street Address*

\_\_\_\_\_  
Offeror Dealer's License No.:

\_\_\_\_\_  
*City, State, Zip Code*

\_\_\_\_\_  
*Expiration Date*

Offeror is: ☐ Individual ☐ Partnership ☐ Corporation ☐ Joint Venture

State of Incorporation: ☐ Hawaii \*☐ Other \_\_\_\_\_

\*If "other", is corporate seal available in Hawaii? ☐ Yes ☐ No

Offeror shall list below business firms and/or government agencies to which he/she has provided similar or identical services to those required by the RFP.

	<u>Firm or Agency</u>	<u>Contact Person</u>	<u>Telephone No.</u>
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____

Receipt of any of the following addenda issued by the HPHA is acknowledged by the date(s) of receipt indicated below:

Addendum No. 1 \_\_\_\_\_ Addendum No. 3 \_\_\_\_\_

Addendum No. 2 \_\_\_\_\_ Addendum No. 4 \_\_\_\_\_

Offeror's Office  
Address: \_\_\_\_\_  
\_\_\_\_\_

Contact Person: \_\_\_\_\_

Telephone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

Authorized Representative Signature \_\_\_\_\_

Name and Title \_\_\_\_\_

## MINIMUM SPECIFICATIONS LIST

### NEW FULL SIZE PICK TRUCK – 1-TON

Model Year:	2019 or Newer	
Model:	Ford F-350/450, Chevrolet Silverado 3500 or Similar	

#### 1. MINIMUM SPECIFICATIONS

a.	Engine:	6.2 Liter	
		Eight (8) Cylinder	

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Flexible-Fuel vehicles with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. All vehicles must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b.	Transmission:	Six (6)-Speed Automatic	
		Rear Wheel Drive, with Overdrive and Tow/Haul Mode	
c.	Body/Cab:	Crew Cab With Four (4) Doors, Eight (8) Foot Bed	
		GVWR 10,001 – 14,000	
d.	Mechanical:	Power Four (4)-Wheel Disc Brakes with Rear Anti Lock Brakes	
		Front Disc	
		Power Rack and Pinion Steering	
		Hood Open Assist Mechanisms	

DUE: September 16, 2019; 4:00 pm, HST

- |    |                  |  |       |
|----|------------------|--|-------|
| e. | Wheels:          | LT245 Radial Tires                       | _____ |
|    |                  | Full Size Spare Tire with Underframe     | _____ |
|    |                  | Jack and Wheel Wrench                    | _____ |
| f. | Suspension:      | Axles, Springs, and Shock Absorbers      | _____ |
|    |                  | Must Meet Manufacturer's and Federal     |       |
|    |                  | GAWR requirements                        | _____ |
| g. | Interior:        | Five (5) Passenger Seating Capacity with | _____ |
|    |                  | Seat Belt Positions                      | _____ |
|    |                  | Adaptive Cruise Control                  | _____ |
|    |                  | Adjustable Steering Wheel                | _____ |
|    |                  | Air Conditioning                         | _____ |
|    |                  | AM/FM Radio                              | _____ |
|    |                  | Auxiliary Port                           | _____ |
|    |                  | Standard Vinyl Upholstery                | _____ |
|    |                  | Keyless Entry                            | _____ |
|    |                  | Power Windows/Door Locks                 | _____ |
|    |                  | Standard Floor Mats                      | _____ |
|    |                  | Vehicle Anti-Theft System                | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS)                | _____ |
|    |                  | Safety Belt Pretensioners                | _____ |
|    |                  | Belt Usage Sensors/Reminders             | _____ |
|    |                  | Alert Chimes (Rear Parking Aid)          | _____ |
|    |                  | Side Intrusion Door Beams                | _____ |
|    |                  | On Board Hands Free Communication        | _____ |
|    |                  | System                                   | _____ |
|    |                  | Back Up Camera                           | _____ |
| i. | Exterior:        | Color: Factory White or Silver           | _____ |
|    |                  | (White Preferred)                        | _____ |
|    |                  | Dual Outside Mirrors                     | _____ |
|    |                  | Factory Tinted Glass; All Windows        | _____ |
|    |                  | Auto Headlamps                           | _____ |
|    |                  | Rear and Brake Lamps                     | _____ |
|    |                  | Tow Hitch                                | _____ |
|    |                  | Trailer Package w/Power Source in        | _____ |
|    |                  | Bumper                                   | _____ |
|    |                  | Windshield Wipers with Variable Speed    | _____ |
|    |                  | Drop In Bed Liner Over Rail              | _____ |
|    |                  | Metal Ladder Racks                       | _____ |

- |    |           |   |  |
|----|-----------|---|--|
|    |           | Side Mount Tool Boxes; Type – Stainless Steel, 72" Length x 12" Deep x 16" High   |  |
| j. | Tailgate: | Powerlift; 55" x 38"; Two Piece Aluminum Platform; 1500 lbs Capacity              |  |
| k. | Other:    | Operator's Manual   |  |
|    |           | Mileage Shall Not Exceed 500 Miles at Time of Delivery                            |  |
|    |           | Shop Repair Manual or Owner's Manual (2 sets) or Approved Substitute              |  |
|    |           | Vehicle Safety Inspection not less than 30 Days of Expiration at Time of Delivery |  |
|    |           | Two (2) Sets of Keys  |  |
|    |           | Back Up Alarm   |  |
|    |           | Seven (7) Year/84,000 Miles Extended Warranty                                     |  |
|    |           | Quarterly Routine Maintenance   |  |

**2. OPTIONAL (One (1) Additional Point Each)**

- |  |  |
|--|--|
| On Board Navigational System                       |  |
| Power Folding Mirrors                              |  |
| Running Board(s)                                   |  |
| Tiptronic Automatic Transmission                   |  |
| Spray On Bed Liner Over Rails                      |  |
| Weather Terrain Floor Mats                         |  |
| Engine Size, Larger than Minimum                   |  |
| Extended Warranty, Greater than Minimum            |  |
| Extended Routine Maintenance, Greater than Minimum |  |
| Other:   |  |
| Other:   |  |
| Other:   |  |
| Other:   |  |
| Other:   |  |

## NEW FULL SIZE PICK TRUCK – 3/4-TON

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-250/450, Chevrolet  
Silverado 2500, GMC  
Sierra 2500 or Similar \_\_\_\_\_

### 1. MINIMUM SPECIFICATIONS

a. Engine: 6.2 Liter \_\_\_\_\_

Six (6) Cylinder \_\_\_\_\_

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Flexible-Fuel vehicles with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. All vehicles must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_

Rear Wheel Drive with Overdrive  
and Tow/Haul Mode \_\_\_\_\_

Four (4) Wheel Drive (one (1) each for  
Group B, Group C and Group D) \_\_\_\_\_

c. Body/Cab: Crew Cab With 4 Doors,  
Eight (8) Foot Bed / Six (6) Foot Bed \_\_\_\_\_

GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
with Rear Anti Lock Brakes \_\_\_\_\_

Front Disc \_\_\_\_\_

Power Rack and Pinion Steering \_\_\_\_\_

Hood Open Assist Mechanisms \_\_\_\_\_

- |    |                  |  |       |
|----|------------------|--|-------|
| e. | Wheels:          | LT245 Radial Tires   | _____ |
|    |                  | Full Size Spare Tire with Underframe                         | _____ |
|    |                  | Jack and Wheel Wrench  | _____ |
| f. | Suspension:      | Axles, Springs, and Shock Absorbers                          | _____ |
|    |                  | Must Meet Manufacturer's and Federal GAWR requirements       | _____ |
| g. | Interior:        | Five (5) Passenger Seating Capacity with Seat Belt Positions | _____ |
|    |                  | Adaptive Cruise Control                                      | _____ |
|    |                  | Adjustable Steering Wheel                                    | _____ |
|    |                  | Air Conditioning   | _____ |
|    |                  | AM/FM Radio  | _____ |
|    |                  | Auxiliary Port   | _____ |
|    |                  | Keyless Entry  | _____ |
|    |                  | Standard Vinyl Upholstery                                    | _____ |
|    |                  | Power Windows/Door Locks                                     | _____ |
|    |                  | Standard Floor Mats  | _____ |
|    |                  | Vehicle Anti-Theft System                                    | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS)                                    | _____ |
|    |                  | Safety Belt Pretensioners                                    | _____ |
|    |                  | Belt Usage Sensors/Reminders                                 | _____ |
|    |                  | Alert Chimes (Rear Parking Aid)                              | _____ |
|    |                  | Side Intrusion Door Beams                                    | _____ |
|    |                  | On Board Hands Free Communication System                     | _____ |
|    |                  | Back Up Camera   | _____ |
| i. | Exterior:        | Color: Factory White or Silver (White Preferred)             | _____ |
|    |                  | Dual Outside Mirrors   | _____ |
|    |                  | Factory Tinted Glass; All Windows                            | _____ |
|    |                  | Auto Headlamps   | _____ |
|    |                  | Rear and Brake Lamps   | _____ |
|    |                  | Tow Hitch  | _____ |
|    |                  | Trailer Package w/Power Source in Bumper                     | _____ |

DUE: September 16, 2019; 4:00 pm, HST

	Windshield Wipers with Variable Speed	_____
	Drop In Bed Liner Over Rail	_____
	Metal Ladder Racks	_____
	Side Mount Tool Boxes; Type – Stainless Steel, 72” Length x 12” Deep x 16” High	_____
j.	Tailgate:	Powerlift; 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity _____
k.	Other:	Operator’s Manual _____
	Mileage Shall Not Exceed 500 Miles at Time of Delivery	_____
	Shop Repair Manual (2 sets), Owner’s Manual or Approved Substitute	_____
	Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery	_____
	Two (2) Sets of Keys	_____
	Back Up Alarm	_____
	Seven (7) Year/84,000 Miles Extended Warranty	_____
	Quarterly Routine Maintenance	_____

## 2. OPTIONAL (Two (2) Additional Points Each)

On Board Navigational System	_____
Power Folding Mirrors	_____
Running Board(s)	_____
Tiptronic Automatic Transmission	_____
Spray On Bed Liner Over Rails	_____
Weather Terrain Floor Mats	_____
Engine Size, Larger than Minimum	_____
Extended Warranty, Greater than Minimum	_____
Extended Routine Maintenance, Greater than Minimum	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____



## NEW FULL SIZE PICK TRUCK – 1/2-TON

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-150/450, Chevrolet Silverado 1500, GMC Sierra 1500, Dodge Ram 1500, Toyota Tundra, Nissan Titan or Similar \_\_\_\_\_

### 1. MINIMUM SPECIFICATIONS

a. Engine: 3.5 Liter \_\_\_\_\_

Six (6) Cylinder \_\_\_\_\_

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Flexible-Fuel vehicles with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. All vehicles must be designed to operate on one (1) of the following fuels:

Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_

Rear Wheel Drive, With Overdrive and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: Crew Cab With 4 Doors, Eight (8) Foot Bed / Six (6) Foot Bed \_\_\_\_\_

GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes with Rear Anti Lock Brakes \_\_\_\_\_

Front Disc \_\_\_\_\_

Power Rack and Pinion Steering \_\_\_\_\_

Hood Open Assist Mechanisms \_\_\_\_\_

- |    |                  |  |       |
|----|------------------|--|-------|
| e. | Wheels:          | LT245 Radial Tires   | _____ |
|    |                  | Full Spare Tire with Underframe                              | _____ |
|    |                  | Jack and Wheel Wrench  | _____ |
| f. | Suspension:      | Axles, Springs, and Shock Absorbers                          |       |
|    |                  | Must Meet Manufacturer's and Federal GAWR requirements       | _____ |
| g. | Interior:        | Five (5) Passenger Seating Capacity with Seat Belt Positions | _____ |
|    |                  | Adaptive Cruise Control                                      | _____ |
|    |                  | Adjustable Steering Wheel                                    | _____ |
|    |                  | Air Conditioning   | _____ |
|    |                  | AM/FM Radio  | _____ |
|    |                  | Auxiliary Port   | _____ |
|    |                  | Standard Vinyl Upholstery                                    | _____ |
|    |                  | Keyless Entry  | _____ |
|    |                  | Power Windows/Door Locks                                     | _____ |
|    |                  | Standard Floor Mats  | _____ |
|    |                  | Vehicle Anti-Theft Systems                                   | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS)                                    | _____ |
|    |                  | Safety Belt Pretensioners                                    | _____ |
|    |                  | Belt Usage Sensors/Reminders                                 | _____ |
|    |                  | Alert Chimes (Rear Parking Aid)                              | _____ |
|    |                  | Side Intrusion Door Beams                                    | _____ |
|    |                  | On Board Hands Free Communication System                     | _____ |
|    |                  | Back Up Camera   | _____ |
| i. | Exterior:        | Color: Factory White or Silver (White Preferred)             | _____ |
|    |                  | Dual Outside Mirrors   | _____ |
|    |                  | Factory Tinted Glass; All Windows                            | _____ |
|    |                  | Auto Headlamps   | _____ |
|    |                  | Rear and Brake Lamps   | _____ |
|    |                  | Tow Hitch  | _____ |
|    |                  | Windshield Wipers with Variable Speed                        | _____ |
|    |                  | Drop In Bed Liner Over Rail                                  | _____ |

		Metal Ladder Racks	_____
		Side Mount Tool Boxes; Type – Stainless Steel, 72” Length x 12” Deep x 16” High	_____
j.	Tailgate:	Powerlift; 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity	_____
k.	Other:	Operator’s Manual	_____
		Mileage Shall Not Exceed 500 Miles at Time of Delivery	_____
		Shop Repair Manual (2 sets), Owner’s Manual or Approved Substitute	_____
		Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery	_____
		Two (2) Sets of Keys	_____
		Back Up Alarm	_____
		Seven (7) Year/84,000 Miles Extended Warranty	_____
		Quarterly Routine Maintenance	_____

## 2. Optional (Two (2) Additional Points Each)

On Board Navigational System	_____
Power Folding Mirrors	_____
Running Board(s)	_____
Tiptronic Automatic Transmission	_____
Spray On Bed Liner Over Rails	_____
Weather Terrain Floor Mats	_____
Engine Size, Larger than Minimum	_____
Extended Warranty, Greater than Minimum	_____
Extended Routine Maintenance, Greater than Minimum	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____

**NEW FULL SIZE PICK TRUCK – STANDARD**

Model Year: 2019 or Newer

Model: Ford Ranger, Chevrolet  
Colorado, Toyota Tacoma  
or Similar**1. MINIMUM SPECIFICATIONS**

a. Engine: 2.7 Liter

Four (4) Cylinder

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Flexible-Fuel vehicles with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. All vehicles must be designed to operate on one (1) of the following fuels:

Flexible fuel ratio ranging from a maximum of 85% ethanol

and 15% gasoline to a 100% gasoline (E85)

yes no

Dedicated compressed natural gas only (CNG)

yes no

Bi-Fuel, compressed natural gas or gasoline (CNG2)

yes no

Total Electric power from rechargeable batteries (Electric)

yes no

Liquid Natural Gas "bi-fuel" (LNG2)

yes no

Dedicated liquid propane only (LPG)

yes no

Bi-Fuel liquid propane gas or Gasoline (LPG2)

yes no

b. Transmission: Six (6)-Speed Automatic

Rear Wheel Drive, with Overdrive  
and Tow/Haul Modec. Body/Cab: Crew Cab With Four (4) Doors / Access  
Cab with Two (2) Doors, Six (6)  
Foot Bed

GVWR 6,000 or Less

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
With Rear Anti Lock Brakes

Front Disc

Power Rack and Pinion Steering

Hood Open Assist Mechanisms

DUE: September 16, 2019; 4:00 pm, HST

- |    |                  |   |       |
|----|------------------|---|-------|
| e. | Wheels:          | LT245 Radial Tires  | _____ |
|    |                  | Full Spare Tire with Underframe   | _____ |
|    |                  | Jack and Wheel Wrench   | _____ |
| f. | Suspension:      | Axles, Springs, and Shock Absorbers   |       |
|    |                  | Must Meet Manufacturer's and Federal GAWR requirements  | _____ |
| g. | Interior:        | Five (5) Passenger Seating Capacity with<br>Seat Belt Positions on Crew Cab (Crew<br>Cab with 4 Doors) <b>and</b> Two (2) Passenger<br>Seating with Seat Bel Positions on Crew<br>Cab (Extended Cab with 2 Doors) | _____ |
|    |                  | Adaptive Cruise Control   | _____ |
|    |                  | Adjustable Steering Wheel   | _____ |
|    |                  | Air Conditioning  | _____ |
|    |                  | AM/FM Radio   | _____ |
|    |                  | Auxiliary Port  | _____ |
|    |                  | Standard Vinyl Upholstery   | _____ |
|    |                  | Keyless Entry   | _____ |
|    |                  | Power Windows/Door Locks  | _____ |
|    |                  | Standard Floor Mats   | _____ |
|    |                  | Vehicle Anti-Theft System   | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS)   | _____ |
|    |                  | Safety Belt Pretensioners   | _____ |
|    |                  | Belt Usage Sensors/Reminders  | _____ |
|    |                  | Alert Chimes (Rear Parking Aid)   | _____ |
|    |                  | Side Intrusion Door Beams   | _____ |
|    |                  | On Board Hands Free Communication<br>System   | _____ |
|    |                  | Back Up Camera  | _____ |
| i. | Exterior:        | Color: Factory White or Silver<br>(White Preferred)   | _____ |
|    |                  | Dual Outside Mirrors  | _____ |
|    |                  | Factory Tinted Glass; All Windows   | _____ |
|    |                  | Auto Headlamps  | _____ |
|    |                  | Rear and Brake Lamps  | _____ |
|    |                  | Tow Hitch   | _____ |
|    |                  | Windshield Wipers with Variable Speed   | _____ |
|    |                  | Drop In Bed Liner Over Rail   | _____ |

j.	Other:	Operator's Manual	_____
		Mileage Shall Not Exceed 500	
		Miles at Time of Delivery	_____
		Shop Repair Manual, Owner's Manual	
		(2 sets) Manual or Approved Substitute	_____
		Vehicle Safety Inspection Not Less Than	
		30 Days of Expiration At Time of Delivery	_____
		Two (2) Sets of Keys	_____
		Back Up Alarm	_____
		Seven (7) Year/84,000 Miles Extended	
		Warranty	_____
		Quarterly Routine Maintenance	_____

**2. Optional (Two (2) Additional Points Each)**

On Board Navigational System	_____
Power Folding Mirrors	_____
Running Board(s)	_____
Tiptronic Automatic Transmission	_____
Spray On Bed Liner Over Rails	_____
Weather Terrain Floor Mats	_____
Engine Size, Larger than Minimum	_____
Extended Warranty, Greater than	
Minimum	_____
Extended Routine Maintenance, Greater	
than Minimum	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____

**PRICE PROPOSAL FORMAT**

**GROUP A: OAHU**

**1. NEW FULL SIZE PICK TRUCK – 1-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 1-ton  
crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for SEVEN (7) new full size pick-up trucks – 3/4-ton  
with crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **7** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 3/4-ton  
with crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**4. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for NINE (9) new full size pick-up trucks – 1/2-ton  
with crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **9** = \$ \_\_\_\_\_

**5. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton  
with crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **1** = \$ \_\_\_\_\_

**6. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWELVE (12) new full size pick-up truck – Standard  
with crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **12** = \$ \_\_\_\_\_

**7. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ELEVEN (11) new full size pick-up truck – Standard  
with access cab with two (2) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **11** = \$ \_\_\_\_\_

**8. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group A: Oahu**

\$ \_\_\_\_\_

**GROUP B: HAWAII ISLAND**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up trucks – 3/4-ton  
with crew cab with four (4) doors, six (6) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton  
crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWO (2) new full size pick-up truck – Standard  
with access cab with two (2) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **2** = \$ \_\_\_\_\_

**4. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group B: Hawaii**

\$ \_\_\_\_\_



**GROUP C: KAUAI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for FOUR (4) new full size pick-up truck – 3/4-ton  
crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x **4** = \$ \_\_\_\_\_

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton  
crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group C: Kauai**

**\$ \_\_\_\_\_**

**GROUP D: MAUI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton  
crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for FOUR (4) new full size pick-up truck – 1/2-ton  
crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x **4** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ONE (1) new full size pick-up truck – Standard crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**4. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group D: Maui**

\$ \_\_\_\_\_

**GROUP E: MOLOKAI**

**1. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group E: Molokai**

\$ \_\_\_\_\_

**PRICE PROPOSAL SUMMARY FORM**

Offerors will summarize their price proposal below and should be the same price(s) as listed above. Offerors are not required to submit a price proposal for all groups. **For any group not being bid, please write “no offer” in the space(s) provided.** Do not leave any item blank as it may be deemed non-responsive. Award will be made to the lowest responsible and responsive offeror for each group.

**Group A: Oahu**      \$ \_\_\_\_\_

**Group B: Hawaii**      \$ \_\_\_\_\_

**Group C: Kauai**      \$ \_\_\_\_\_

**Group D: Maui**      \$ \_\_\_\_\_

**Group E: Molokai**      \$ \_\_\_\_\_